


SR45-LED



Product Description

Miniature Swivel LED Spotlight with High Light Output

SR45-LED is a directional, high output swivel LED spotlight. When you need to draw attention to something, this solution attracts the human eye in a dramatic way.

Product Features

- Available color temperatures:
 - 3000 K
 - 4000 K
 - Additional color temperatures (special order)
- Attached 79" connecting cable with a plug-in connector
- 20° swivel and tilt to either side
- Approved for use in closet applications
- Dimmable with optional accessories
- To be used with 24 Vdc Constant Voltage Driver
- Stainless Steel or White finish
- 60,000 hours usable life
- Excellent CRI >90
- Efficacy: 73 lm/W
- Energy-efficient: uses only 5 W
- Recess depth: 1-1/4"






Available Options

Necessary Accessories on Page 66

MODEL	DIAMETER	INPUT	POWER	LIGHT OUTPUT	EFFICACY	CRI	FINISH	PART NO. (3000 K)	PART NO. (4000 K)
SR45-LED	2"	24 VDC	5 W	355 Lm	73 lm/W	>90	Stainless Steel	SR45/SS/3000/CV	SR45/SS/4000/CV
SR45-LED	2"	24 VDC	5 W	355 Lm	73 lm/W	>90	White	SR45/WH/3000/CV	SR45/WH/4000/CV

Compatible Drivers on Page 64

Dimensions



Spot-LED Accessories

Swivel

SR45-LED

Connecting Cables

DESCRIPTION	LENGTH	PART NO.
350mA Power Cable Extension, Black	36"	LEDCC36
350mA Power Cable Extension, Black	72"	LEDCC72
350mA Terminal Block, 3 way	98"	TBLED/B
24V Power Cable Extension, White	39"	KB12LEDCC39/H
24V Power Cable Extension, White	84"	KB12LEDCC84/H
24V Power Cable Extension, White	98"	KB12LEDCC98/H
24V Power Cable Extension, Black	39"	KB12LEDCC39/BL/H
24V Power Cable Extension, Black	39"	KB12LEDCC98/BL/H
24V Power Cable Extension, Black	39"	KB12LEDCC120/BL/H
24V Terminal Block		PS24V/TB
24V Terminal Block, DC plug		PS24V/TB/DC/Y
24V Power Cord locking clip		CLIP/24V/CCPC

Optional Accessories

DESCRIPTION	PART NO.
Dimming Controller	DIMCONTROL/EURO
Y-Cable adapter	STICKDIM/YCABLE
24V Dimming Module	PS24V/DIM/EURO
24V Remote Control Dimmer	RCPSDIM/V2
24V Rocker Switch	PS24V/SWITCH/RS/H
24V Rocker Switch, DC plug	PS24V/SWITCH/RS/DC1224/H
24V Occupancy Switch	PS24V/SW/OC
24V Sensor Switch	IRSWITCH/H
24V Sensor Switch, Dimmable	IRSWITCH/H/D

SR68-LED

Connecting Cables

DESCRIPTION	LENGTH	PART NO.
350mA Power Cable Extension, Black	36"	LEDCC36
350mA Power Cable Extension, Black	72"	LEDCC72
350mA Terminal Block, 3 way	98"	TBLED/B
24V Power Cable Extension, White	39"	KB12LEDCC39/H
24V Power Cable Extension, White	84"	KB12LEDCC84/H
24V Power Cable Extension, White	98"	KB12LEDCC98/H
24V Power Cable Extension, Black	39"	KB12LEDCC39/BL/H
24V Power Cable Extension, Black	39"	KB12LEDCC98/BL/H
24V Power Cable Extension, Black	39"	KB12LEDCC120/BL/H
24V Terminal Block		PS24V/TB
24V Terminal Block, DC plug		PS24V/TB/DC/Y
24V Power Cord locking clip		CLIP/24V/CCPC

Optional Accessories

DESCRIPTION	PART NO.
Dimming Controller	DIMCONTROL/EURO
Y-Cable adapter	STICKDIM/YCABLE
24V Dimming Module	PS24V/DIM/EURO
24V Remote Control Dimmer	RCPSDIM/V2
24V Rocker Switch	PS24V/SWITCH/RS/H
24V Rocker Switch, DC plug	PS24V/SWITCH/RS/DC1224/H
24V Occupancy Switch	PS24V/SW/OC
24V Sensor Switch	IRSWITCH/H
24V Sensor Switch, Dimmable	IRSWITCH/H/D

Low Voltage Drivers

Constant Voltage Drivers

24 Vdc Drivers



Daisy Driver, 30W
(Full Specs on Page #114)



Daisy Driver, 75W
(Full Specs on Page #115)



Daisy Driver, 96W
(Full Specs on Page #116)



Driver, 6W
(Full Specs on Page #117)

Constant Current Drivers

LED Drivers



LED Driver, 10W
(Full Specs on Page #118)



LED Driver, 18W Dimmable
(Full Specs on Page #119)

Compatibility

Constant Voltage Compatible LEDs

SPOT

SR45-LED

FR68-LED

Eco78-LED

R55-LED

ER-LED

SR68-LED CV

Constant Current Compatible LEDs

SPOT

SR68-LED

HO-LED2

Eye-LED